

10777648_LIST1.txt

10777648

PLUS Search Results for S/N 10777648, Searched November 10, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

4315317
4444048
5017141
5398331
5600566
5617371
5623411
5805785
5964838
6062650
6074350
6222347
6222347
3599091
3651458
3898880
3789198
4142148
4145740
4155252
4074360
4245501
4251873
4253151
4255748
4258421
4270167
4302745
4303850
4307455
4314484
4319329
4330774
4333144
4342985
4344136

10777648_LIST1.txt

4348169
4365306
4375683
4375667
4381999
4394741
4395756
4403861
4411351
4419762
4427132
4437184
4440177
4454577

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	440028	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:21
L2	1244	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:22
L3	320	702/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:22
L4	478	702/186.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:23
L5	1466	702/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:23
L6	672	702/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:23
L9	3442	1 and (dynamic\$3 or autonomously or real adj time) with (adapt\$3 or chang\$3 or modify\$3 or adjust\$3 or correct\$3) with (monitor\$3 or scheme or frequency or sampling adj rate or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:05
L10	19	2 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:28
L11	3	3 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:26

L12	9	4 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:26
L13	16	5 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:26
L14	1	6 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:26
L15	271	703/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:27
L16	1389	714/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:27
L17	2	15 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:28
L18	14	16 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:29
L19	36	detected near4 pattern with (known or predetermined or patholog\$3) with (adapt\$3 or adjust\$3 or alter\$3 or chang\$3 or modify\$3) with (monitor\$3 or scheme or configuration or setting or model or module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:49
L21	586	patholog\$3 with (known or predetermined or identified or recognized) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 with monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:50

L22	15	patholog\$3 with (known or predetermined or identified or recognized) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3) with monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:46
L23	907	pattern with (known or predetermined or identified or recognized) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3) with monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:02
L25	3	pattern with (known or predetermined or identified or recognized) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3) with monitor\$3 near3 (scheme or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:48
L26	2	"6393386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:50
L27	2	"6892317".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:50
L28	103	patholog\$3 with (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3) with monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:51
L29	25	patholog\$3 with (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3) near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:54
L30	1	(likelihood or probability or possibility or potential or tendency) with (fail\$3 or malfunction or defect\$3) near4 pattern same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:57
L31	191	(likelihood or probability or possibility or potential or tendency) with (fail\$3 or malfunction or defect\$3) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:05

L32	49	(likelihood or probability or possibility or potential or tendency) with (fail\$3 or malfunction or defect\$3) with (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 10:01
L33	4	(likelihood or probability or possibility or potential or tendency) with (fail\$3 or malfunction or defect\$3) with adapt\$3 near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:08
L34	0	risk\$1 with (fail\$3 or malfunction or defect\$3) with adapt\$3 near3 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:59
L35	2	"5020398".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 08:00
L36	2	"4603606".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 08:00
L37	2	"5689076".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 08:00
L38	14	((likelihood or probability or possibility or potential or tendency) same (fail\$3 or malfunction or defect\$3) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) same monitor\$3).clm.	US-PGPUB	OR	OFF	2005/11/10 09:05
L39	0	38 and 2	US-PGPUB	OR	OFF	2005/11/10 09:06
L40	0	38 and 15	US-PGPUB	OR	OFF	2005/11/10 09:06
L41	2	"6182022".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 12:46

L44	117	("4315317" "4444048" "5017141" "5398331" "5600566" "5617371" "5623411" "5805785" "5964838" "6062650" "6074350" "6222347" "6222347" "3599091" "3651458" "3898880" "3789198" "4142148" "4145740" "4155252" "4074360" "4245501" "4251873" "4253151" "4255748" "4258421" "4270167" "4302745" "4303850" "4307455" "4314484" "4319329" "4330774" "4333144" "4342985" "4344136" "4348169" "4365306" "4375683" "4375667" "4381999" "4394741" "4395756" "4403861" "4411351" "4419762" "4427132" "4437184" "4440177" "4454577").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:09
L45	3	44 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:06
L46	529	(likelihood or probability or possibility or potential or tendency) with (fail\$3 or malfunction or defect\$3) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) with monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:07
L47	0	44 and 46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:07
L48	3079	(likelihood or probability or possibility or potential or tendency) same (fail\$3 or malfunction or defect\$3) same (adapt\$3 or adjust\$3 or correct\$3 or chang\$3 or modify\$3 or calibrat\$3 or vary\$3 or amend\$3 or dynamic\$4) same monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:07
L49	1	44 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:08
L50	673	320/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:10
L51	644	600/532.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:09

L52	948	701/35.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:10
L53	226	714/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:10
L54	1	50 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:12
L55	3	51 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:12
L56	14	52 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:12
L57	0	53 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:12
L58	0	50 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:12
L59	3	51 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:13
L60	10	52 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:13

L61	1	53 and 48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 13:14
S1	1132	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:22
S2	419551	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:28
S3	3174	S2 and (dynamic\$3 or autonomously or real adj time) with (adapt\$3 or chang\$3 or modify\$3 or adjust\$3 or correct\$3) with (monitor\$3 or scheme or frequency or sampling adj rate or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:24
S4	2672	S3 and (detect\$3 or identify\$3 or recogniz\$3 or find\$3 or search\$3 or match\$3) with (pattern\$1 or behavior\$1 or onset or problem\$1 or fail\$4 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:29
S5	221	S4 and (comput\$3 or network) with resource\$1 with (monitor\$3 or manag\$5 or control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:23
S6	31	S5 and (predict\$3 or model\$4) with (behavior\$1 or pattern\$1 or imapct\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:26
S7	3	S5 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:28
S8	27	S4 and (expert near5 system) and (fuzzy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:28

S9	0	S4 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:29
S10	0	S3 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:29
S11	26	S2 and Zager	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:30
S12	19072	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquired	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:40
S13	1113	predict\$3 and input and information and reconfigure\$1 and starte\$1and report and operation and management and computer and problem\$1and identify\$3 and receiv\$3 and data and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:49
S14	32	predict\$3 and (input same information) and reconfigure\$1 and starte\$1 and report and (operation same management same computer) and problem\$1and identify\$3 and (receiv\$3 same data) and obtain\$4 and performance and acquir\$2 and collect\$4 and gathering and transmit\$3 and controlling and printer and Functional and (change with configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:48
S15	32	S14 and monitor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:47
S16	26	S15 and detect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:47
S17	1675	S2 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:52

S18	107	S3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:54
S19	98	S13 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 14:55
S22	194	monitor\$3 same performance same comput\$3 and (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 15:04
S23	122	predict\$3 same analysis same (fuzzy with logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 15:05
S24	492	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/20 15:07
S25	263	703/25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:21
S26	1270	714/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:21
S27	98	S25 and (monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:22
S28	384	S26 and (monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/10 07:20

S29	1138	702/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:30
S30	419774	(monitor\$3 or collect\$3 or obtain\$3 or gather\$3 or acquir\$3 or transmit\$4 or receiv\$3) with (information or data or signal\$1 or report\$3) with (operation or performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:28
S31	494	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:28
S32	374	S31 and (detect\$3 or identify\$3 or recogniz\$3 or find\$3 or search\$3 or match\$3) with (pattern\$1 or behavior\$1 or onset or problem\$1 or fail\$4 or detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:30
S33	446	702/186.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:31
S34	287	702/184.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:30
S35	649	702/130.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:30
S36	1386	702/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/22 09:30